

eXiss

Luxury interior design material

Carpet your world  
When your dream comes true



## About exiss درباره ما

مجموعه اکسیس exiss با بیش از یک دهه سابقه در تامین و اجرای تجهیزات لوکس دکوراسیون داخلی در بازار ایران و خاورمیانه مشغول به فعالیت می باشد. وجه تمایز مجموعه ما احترام به اعتماد مشتریانمون و عمل به تعهدزمانی و کیفیت اجراست. اعضای تیم اکسیس exiss ماهر و عاشق کارشون هستند. به کارگیری اصول کارگروهی و سینرژی از عوامل اصلی پیشبرد در کار ماست.

تیم مجرب بازرگانی ما با شرکت در نمایشگاه های تخصصی در سراسر دنیا همواره در حال تحقیق و توسعه و به روزرسانی و ارائه متریال های روز دنیا و روش های نوین و اقتصادی اجرا و نصب متریال هستند.



## What we do

خدمات ما

تیم طراحی، مشاوره و اجرای اکسیس از ابتدا تا پایان پروژه مشتریانمان را که مهمترین سرمایه ما هستند، همراهی می‌کنند. تیم طراحی اکسیس امکان ارائه طرح سه بعدی از فضا، قبل از اجرا را به مشتریان خود دارد. و همچنین امکان تولید سفارشی محصولات با طرح و رنگ و جنس بر اساس انتخاب مشتریان.

■ بیش از هفتصد پروژه شاخص در بخش مسکونی و تجاری

■ **Projects**  
پروژه‌ها

این مجموعه با بیش از ۲۲ برند در بازار ایران و خاورمیانه مشغول به فعالیت می‌باشد و برخی از این برندها به صورت اختصاصی در بازار ایران ارائه می‌گردد.

■ **Brands**  
برندها

# CONTENTS

## DESIGN LOOP

Inspiration Collection - Cresta	5
Inspiration Collection - Mesh	7
Inspiration Collection - Greda	9
Inspiration Collection - Phase	11
Vapour	13
Total Contrast	15
Strobe	16
Workspace Linear	17
Codec	18
Highlights	19

## LOOP PILE

Workspace Loop	22
Diversity and Diversity Groove	24
Vital	26
Toccarre	27
Sirocco and Sirocco Stripe	28
Macaw and Macaw Stripe	30

## CUT PILE

Maestro	33
Workspace Cut Pile	35

## LUXURY COMMERCIAL VINYL

Rappórt	37
Duera	38


## ENTRANCE MATTING

### PRIMARY:

Frameworks	40
Treadloc 25	42
Entrack 50	44

### SECONDARY:

Workspace Entrance	46
Workspace Entrance Design	47



# DESIGN LOOP

■ Inspiration Collection - Cresta	5
■ Inspiration Collection - Mesh	7
■ Inspiration Collection - Greda	9
■ Inspiration Collection - Phase	11
■ Vapour	13
■ Total Contrast	15
■ Strobe	16
■ Workspace Linear	17
■ Codec	18
■ Highlights	19



Silver Wolf, 8779N  
(LRV - 3.94)



Bear Silver, 9749N  
(LRV - 4.15)



Polar Trek, 1790N  
(LRV - 18.94)



Lucent Grey, 1746N  
(LRV - 7.63)



Glam Cyan, 6755N  
(LRV - 3.60)



Castle Black, 9778N  
(LRV - 1.91)

<b>Style</b>	Tufted 1/12" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	750 gsm
<b>Pile Height</b>	3mm - 5mm
<b>Total Weight</b>	4450 gsm
<b>Total Thickness</b>	7mm ± 0.5mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 5 Shampoo (BS 1006:UK-TB:1990) < 4 Dry Rubbing (BS EN ISO 105:B01) < 4 Wet Rubbing (BS EN ISO 105:X12) < 4
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004

## TOTAL COLOURWAY OPTIONS - 6



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK




MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.



# CRESTA

INSPIRATION COLLECTION



# MESH

## INSPIRATION COLLECTION



Sonic Coal, 8773L  
(LRV - 12.69)



Shadow Bone, 8778L  
(LRV - 3.11)




Mild Sienna, 6755L  
(LRV - 2.04)



Satin Ash, 9748L  
(LRV - 4.20)



Burly Wood, 1745L  
(LRV - 8.43)



Obsidian Flash, 8775L  
(LRV - 5.10)

<b>Style</b>	Tufted 1/12" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	750 gsm
<b>Pile Height</b>	2.5mm - 5.5mm
<b>Total Weight</b>	4450 gsm
<b>Total Thickness</b>	7mm ± 0.5mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 5 Shampoo (BS 1006:UK-TB:1990) < 4 Dry Rubbing (BS EN ISO 105:B01) < 4 Wet Rubbing (BS EN ISO 105:X12) < 4
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004

### TOTAL COLOURWAY OPTIONS - 6



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.





# Mesh

INSPIRATION COLLECTION





Ghost Machine, 8775V  
(LRV - 4.19)



Electric Azure, 6755V  
(LRV - 3.77)



Cracked Station, 1763V  
(LRV - 12.20)



Lime Spring, 5761V  
(LRV - 24.37)




Moccasin, 3730V  
(LRV - 10.37)



Livid Grey, 8773V  
(LRV - 10.40)

<b>Style</b>	Tufted 1/12" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	750 gsm
<b>Pile Height</b>	3mm - 6mm
<b>Total Weight</b>	4450 gsm
<b>Total Thickness</b>	8mm ± 0.5mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 5 Shampoo (BS 1006:UK-TB:1990) < 4 Dry Rubbing (BS EN ISO 105:B01) < 4 Wet Rubbing (BS EN ISO 105:X12) < 4
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004

## TOTAL COLOURWAY OPTIONS - 6



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.



# GREDA

## INSPIRATION COLLECTION



# PHASE

# INSPIRATION COLLECTION



Virtual Ebony, 8677B  
(LRV - 2.87)



Charged Metal, 1648B  
(LRV - 2.69)



Dodger Blue, 6657B  
(LRV - 2.78)



Cloud Indigo, 6658B  
(LRV - 5.07)



Navajo Brown, 3627B  
(LRV - 3.24)



Gainsboro, 8675B  
(LRV - 6.13)

<b>Style</b>	Tufted 1/12" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	750 gsm
<b>Pile Height</b>	3mm - 6.5mm
<b>Total Weight</b>	4450 gsm
<b>Total Thickness</b>	8mm ± 0.5mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 4 Shampoo (BS 1006:UK-TB:1990) < 4 Dry Rubbing (BS EN ISO 105:B01) < 4 Wet Rubbing (BS EN ISO 105:X12) < 4
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004

## TOTAL COLOURWAY OPTIONS - 6



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.



# PHASE

INSPIRATION COLLECTION





Mist, 63852  
(LRV - 6.20)



Aura, 63243  
(LRV - 4.06)



Spectre, 54584  
(LRV - 9.65)



Fog, 28382  
(LRV - 9.32)



Humidity, 74558  
(LRV - 6.88)



Nebula, 34465  
(LRV - 13.88)



Steam, 84558  
(LRV - 13.19)



Spray, 63845  
(LRV - 6.18)

<b>Style</b>	Tufted 1/12" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	650 gsm
<b>Pile Height</b>	2.5mm - 0.5mm
<b>Total Weight</b>	4140 gsm
<b>Total Thickness</b>	6mm ± 0.5mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 6 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004

## TOTAL COLOURWAY OPTIONS - 9



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.



# VAPOUR

INSPIRATION COLLECTION





# TOTAL CONTRAST



Chrome Pelt 83126  
(LRV - 8.51)



Ocean Rocks, 64518  
(LRV - 3.01)



Black Leaf, 52926  
(LRV - 11.81)



Cracked Sapling, 10001  
(LRV - 14.99)



Mellow Bark, 10203  
(LRV - 11.69)



Palladium Sky, 91826  
(LRV - 3.74)

Colourways show 1sqm for pattern effect

Style	Tufted 1/12" Gauge Loop Pile Tile
Yarn Construction	%100 Solution Dyed <b>ECONYL</b> manufactured from recycled fishing nets
Pile Yarn Weight	600 gsm
Pile Height	3mm
Total Weight	4380 gsm
Total Thickness	6mm
Backing	%100 Envirobase - minimum of %75 recycled material
Additional Backing	Komfort Bac available on request
Tile Size	50cm x 50cm
Tiles Per Box	20 ( 5m <sup>2</sup> )
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) < 6 Shampoo (BS 1006:UK-TB:1990) < 4 Dry Rubbing (BS EN ISO 105:B01) < 4 Wet Rubbing (BS EN ISO 105:X12) < 4
Flammability	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
BS EN 13501	Class Bfl-s1
Castor Chair Test	Suitable for intensive use with castor chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004

## TOTAL COLOURWAY OPTIONS - 6



BROADLOOM DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.



# STROBE



Blaze, 2604  
(LRV - 4.24)



Ignite, 2603  
(LRV - 6.09)



Extreme, 2606  
(LRV - 5.11)



Spark, 2621  
(LRV - 4.57)



Vivid, 4504  
(LRV - 4.38)




Rapid, 2614  
(LRV - 5.53)



Breeze, 4109  
(LRV - 6.04)



Force, 2605  
(LRV - 7.47)



Flex, 2620  
(LRV - 4.97)



Plasma, 2619  
(LRV - 4.39)

<b>Style</b>	Tufted 1/12" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed/space dyed Nylon
<b>Pile Yarn Weight</b>	610 gsm
<b>Pile Height</b>	3mm
<b>Total Weight</b>	4400 gsm
<b>Total Thickness</b>	6mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) 6 Shampoo (BS 1006:UK-TB:1990) 4-5 Dry Rubbing (BS EN ISO 105:B01) 4-5 Wet Rubbing (BS EN ISO 105:X12) 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004
<b>Environmental Status</b>	BREEAM® A Rated

## TOTAL COLOURWAY OPTIONS - 01+1



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

# WORKSPACE LINEAR



Nobu Grey, 7002  
(LRV - 15.67)




Docklands Grey, 3013  
(LRV - 9.01)



Apollo Blue, 5004  
(LRV - 4.42)



Millennium Blue, 3001  
(LRV - 8.18)



Regents Canal, 4018  
(LRV - 5.12)



Victoria Blue, 5181  
(LRV - 2.92)



Clockhouse Blue, 4009  
(LRV - 3.72)



Metro Blue, 5009  
(LRV - 3.50)



Broadway, 3012  
(LRV - 8.17)



Beauchamp Brown, 3193  
(LRV - 6.53)



Savoy Ochre, 7005  
(LRV - 15.80)



West End Fawn, 7008  
(LRV - 10.09)



Alber Green, 7017  
(LRV - 13.09)



Westow Park Plum, 3016  
(LRV - 7.50)

## TOTAL COLOURWAY OPTIONS - 15



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

Style	Tufted 1/12" Gauge Loop Pile Tile
Yarn Construction	%100 Solution Dyed/space dyed Nylon manufactured from recycled fishing nets
Pile Yarn Weight	600 gsm
Pile Height	3mm
Total Weight	4380 gsm
Total Thickness	6mm
Backing	%100 Envirobase - minimum of %75 recycled material
Additional Backing	Komfort Bac available on request
Tile Size	50cm x 50cm
Tiles Per Box	20 ( 5m <sup>2</sup> )
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) > 6 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
Flammability	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
BS EN 13501	Class Bfl-s1
Castor Chair Test	Suitable for intensive use with castor chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004
Environmental Status	BREEAM® A Rate

# CODEC



Axis, 8181  
(LRV - 4.00)



Axis Accent, 8228  
(LRV - 5.78)



Binary, 9191  
(LRV - 9.59)



Binary Accent, 9183  
(LRV - 17.50)



Index, 2181  
(LRV - 4.60)



Index Accent, 2247  
(LRV - 7.73)



Hex, 7181  
(LRV - 4.77)



Hex Accent, 7248  
(LRV - 7.22)



Digital, 6181  
(LRV - 4.32)



Digital Accent, 6176  
(LRV - 4.62)



Pathway, 5151  
(LRV - 11.59)



Pathway Accent, 5229  
(LRV - 21.82)

## TOTAL COLOURWAY OPTIONS - 12



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

<b>Style</b>	Tufted 1/10" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon manufactured from recycled fishing nets
<b>Pile Yarn Weight</b>	600 gsm
<b>Pile Height</b>	3mm
<b>Total Weight</b>	4380 gsm
<b>Total Thickness</b>	6mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) > 5 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004
<b>Environmental Status</b>	BREEAM® A Rated

# HIGHLIGHTS



## Highlights 3, Multi-Level



Highlights 3, Multi-Level |  
Amber, 42413  
(LRV - 22)



Highlights 3, Multi-Level |  
Yellow, 42403  
(LRV - 44)



Highlights 3, Multi-Level |  
Green, 56693  
(LRV - 13)



Highlights 3, Multi-Level |  
Vermillion Red, 65813  
(LRV - 8)



Highlights 3, Multi-Level |  
Aquamarine, 56493  
(LRV - 12)



Highlights 3, Multi-Level |  
Navy, 65123  
(LRV - 3)



Highlights 3, Multi-Level |  
Orange, 33753  
(LRV - 17)



Highlights 3, Multi-Level |  
Crimson, 23953  
(LRV - 4)



Highlights 3, Multi-Level |  
Violet, 74823  
(LRV - 5)



Highlights 3, Multi-Level |  
Purple, 74313  
(LRV - 6)



Highlights 3, Multi-Level |  
Blue, 65803  
(LRV - 5)



Highlights 3, Multi-Level |  
Pink, 23173  
(LRV - 8)

## HIGHLIGHTS 3, MULTI-LEVEL

Style	Tufted 1/12" Gauge Loop Pile Tile
Yarn Construction	%100 PA 6 Aqualon™
Pile Yarn Weight	870 gsm
Pile Height	4mm
Total Weight	4800 gsm
Total Thickness	7.7mm
Backing	%100 Envirobase - minimum of %75 recycled material
Tile Size	50cm x 50cm
Tiles Per Box	20 ( 5m <sup>2</sup> )
Wear Classification	Heavy Contract Class 33
Anti-static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) > 5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
Flammability	Bfl-s1
BS EN 13501	
Castor Chair Test	Suitable for intensive use with chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004



MADE IN BRITAIN

# HIGHLIGHTS

## Highlights 5, Strobe



Highlights 5, Strobe |  
Flex, 2620  
(LRV - 4.97)



Highlights 5, Strobe |  
Blaze, 2604  
(LRV - 4.24)



Highlights 5, Strobe |  
Ignite, 2603  
(LRV - 6.09)



Highlights 5, Strobe |  
Extreme, 2606  
(LRV - 5.11)



Highlights 5, Strobe |  
Spark, 2621  
(LRV - 4.57)



Highlights 5, Strobe |  
Vivid, 4504  
(LRV - 4.38)



Highlights 5, Strobe |  
Rapid, 2614  
(LRV - 5.53)



Highlights 5, Strobe |  
Breeze, 4109  
(LRV - 6.04)



Highlights 5, Strobe |  
Force, 2605  
(LRV - 7.47)



Highlights 5, Strobe |  
Plasma, 2619  
(LRV - 4.39)




Highlights 5, Strobe | Grey Fusion Highlight, 8226  
(LRV - 4.69)

## HIGHLIGHTS 5, STROBE

Style	Status	Tufted 1/10" Gauge Loop Pile Tile
Yarn Construction		%100 PA 6 Aqualon™
Pile Yarn Weight		610 gsm
Pile Height		3mm
Total Weight		4400 gsm
Total Thickness		6mm
Backing		%100 Envirobase - minimum of %75 recycled material
Tile Size		50cm x 50cm
Tiles Per Box		20 ( 5m <sup>2</sup> )
Wear Classification		Heavy Contract Class 33
Luxury Class		LC1
Anti-static		Suitable for use with computers. Less than 2Kv
Colour Fastness		Light (BS EN ISO 105:B02) > 6 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
Flammability		BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char Class Bfl-s1
BS EN 13501		
Castor Chair Test		Suitable for intensive use with chairs
Warranty		10 years
VOC Content		E1 in relation to EN 14041:2004
Status		





# LOOP PILE

■	Workspace Loop	22
■	Diversity and Diversity Groove	24
■	Vital	26
■	Toccarre	27
■	Sirocco and Sirocco Stripe	28
■	Macaw and Macaw Stripe	30

# WORKSPACE LOOP



Graphite, 8025  
(LRV - 5.51)



Onyx, 8181  
(LRV - 2.47)



Kingfisher, 5329  
(LRV - 10.12)



Indigo, 6049  
(LRV - 4.37)



Blueberry, 6155  
(LRV - 8.61)



Lavender, 7035  
(LRV - 8.20)



Ruby, 2182  
(LRV - 5.35)



Sandstone, 1015  
(LRV - 17.28)

## TOTAL COLOURWAY OPTIONS - 2



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



Tile colours representative in print, order a full tile for true likeness.

<b>Style</b>	Tufted 1/10" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	580 gsm
<b>Pile Height</b>	3mm - 0.5mm
<b>Total Weight</b>	4360 gsm
<b>Total Thickness</b>	6mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 6 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004
<b>Environmental Status</b>	BREEAM® A Rated

# WORKSPACE LOOP



Silver, 8031  
(LRV - 13.24)



Pampas, 5157  
(LRV - 10.13)



Platinum, 9235  
(LRV - 8.62)



Charcoal, 8050  
(LRV - 6.36)



Moorland, 8052  
(LRV - 10.05)



Blue Moon, 6123  
(LRV - 7.68)



Midnight, 6159  
(LRV - 4.17)



Blue Yonder, 6245  
(LRV - 3.68)



Magenta Rock, 7246  
(LRV - 4.42)



Rose, 2152  
(LRV - 6.36)



Sepia, 1160  
(LRV - 7.20)



Apple, 6229  
(LRV - 21.82)



# DIVERSITY



Foundry Grey, 810  
(LRV - 6.63)



Lupus Grey, 811  
(LRV - 5.32)



London Stone, 820  
(LRV - 10.04)



Mouse, 830  
(LRV - 16.28)



Liberty, 612  
(LRV - 3.13)



Denim, 616  
(LRV - 4.95)



Electric, 625  
(LRV - 5.12)



Skylight, 640  
(LRV - 7.65)



Racing Green, 505  
(LRV - 4.89)



Grasshopper, 550  
(LRV - 14.41)



Panther, 812  
(LRV - 2.94)



Purple Rain, 750  
(LRV - 4.26)



Blazer, 210  
(LRV - 4.52)



Bark, 108  
(LRV - 9.82)

## TOTAL COLOURWAY OPTIONS - 15



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

<b>Style</b>	Tufted 1/10" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	580 gsm
<b>Pile Height</b>	3mm - 0.5mm
<b>Total Weight</b>	4360 gsm
<b>Total Thickness</b>	6mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 6 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004
<b>Environmental Status</b>	BREEAM® A Rated

# DIVERSITY GROOVE



Asha, 812810  
(LRV - 4.39)



Armada, 812820  
(LRV - 5.31)



Jaxx, 616810  
(LRV - 5.74)



Gusto, 616812  
(LRV - 3.57)



Vibe, 810820  
(LRV - 8.04)

<b>Style</b>	Tufted 1/10" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	580 gsm
<b>Pile Height</b>	3mm - 0.5mm
<b>Total Weight</b>	4280 gsm
<b>Total Thickness</b>	5.5 mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) > 6 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004
<b>Environmental Status</b>	BREEAM® A Rated

## TOTAL COLOURWAY OPTIONS - 5



BROADLOOM DESIGN



TESSELLATED DESIGN



RANDOM LAY DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

# VITAL



Tungsten, 8316  
(LRV - 5.09)



Carbon, 8007  
(LRV - 2.54)



Granite, 8302  
(LRV - 9.86)



Glacier, 6013  
(LRV - 6.90)



Marine, 6310  
(LRV - 6.30)



Sea Blue, 6011  
(LRV - 5.49)



Argon, 2315  
(LRV - 6.01)



Mercury, 878316  
(LRV - 3.91)



Nickel, 868302  
(LRV - 7.54)



Zinc, 878302  
(LRV - 6.91)



Ice, 876013  
(LRV - 4.85)



Arctic, 876310  
(LRV - 4.26)



Xenon, 872315  
(LRV - 4.00)



Titanium, 8001  
(LRV - 7.11)

## TOTAL COLOURWAY OPTIONS - 14



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

<b>Style</b>	Tufted 1/10" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	450 gsm
<b>Pile Height</b>	3mm - 0.5mm
<b>Total Weight</b>	4030 gsm
<b>Total Thickness</b>	6mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 6 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004
<b>Environmental Status</b>	BREEAM® A Rated

# TOCCARRE



Grigia, 9559  
(LRV - 16.22)



Tutto, 6569  
(LRV - 2.19)



Moderno, 6553  
(LRV - 4.98)



Azzurra, 6339  
(LRV - 7.75)



Blu, 6558  
(LRV - 8.91)



Fresco, 1652  
(LRV - 7.85)



Marrone, 1656  
(LRV - 8.88)



Montagna, 1545  
(LRV - 13.25)



Menta, 5560  
(LRV - 6.34)



La Mela, 5550  
(LRV - 8.36)



Desmo, 2640  
(LRV - 4.52)



Termi, 8554  
(LRV - 8.96)

## TOTAL COLOURWAY OPTIONS - 12



BROADLOOM DESIGN



TESSELLATED DESIGN

<b>Style</b>	Tufted 1/10" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Polypropylene
<b>Pile Yarn Weight</b>	630 gsm
<b>Pile Height</b>	3mm - 0.5mm
<b>Total Weight</b>	4420 gsm
<b>Total Thickness</b>	6mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) > 6 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004
<b>Environmental Status</b>	BREEAM® A Rated

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

# SIROCCO



Quartz, 101  
(LRV - 5.15)



Pewter, 171  
(LRV - 15.55)



Sapphire, 501  
(LRV - 4.95)



Blue John, 896  
(LRV - 5.78)



Topaz, 458  
(LRV - 8.50)



Tempest, 277  
(LRV - 3.22)



Paprika, 459  
(LRV - 6.71)



Tanzanite, 743  
(LRV - 4.84)



Lime, 318  
(LRV - 15.29)



Jet, 821  
(LRV - 2.78)

## TOTAL COLOURWAY OPTIONS - 10



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

<b>Style</b>	Tufted 1/10" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	580 gsm
<b>Pile Height</b>	3.5mm
<b>Total Weight</b>	4360 gsm
<b>Total Thickness</b>	6mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) > 6 Shampoo (BS 1006:UK-TB:1990) 4-5 Dry Rubbing (BS EN ISO 105:B01) 4-5 Wet Rubbing (BS EN ISO 105:X12) 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004

# SIROCCO

# STRIPE



Humbug, 101171  
(LRV - 12.76)



Blue Candy, 501458  
(LRV - 7.23)



Bubblegum, 821458  
(LRV - 5.66)



Spearmint, 318101  
(LRV - 9.89)



Liquorice, 821101  
(LRV - 3.79)

Style	Tufted 1/10" Gauge Loop Pile Tile
Yarn Construction	%100 Solution Dyed Nylon
Pile Yarn Weight	580 gsm
Pile Height	3.5 mm
Total Weight	4360 gsm
Total Thickness	6.5 mm
Backing	%100 Envirobase - minimum of %75 recycled material
Additional Backing	Komfort Bac available on request
Tile Size	50cm x 50cm
Tiles Per Box	20 ( 5m <sup>2</sup> )
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) > 6 Shampoo (BS 1006:UK-TB:1990) 4-5 Dry Rubbing (BS EN ISO 105:B01) 4-5 Wet Rubbing (BS EN ISO 105:X12) 4-5
Flammability	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
BS EN 13501	Class Bfl-s1
Castor Chair Test	Suitable for intensive use with castor chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004

TOTAL COLOURWAY OPTIONS - 5



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK




MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

# MACAW



Quartz, 101  
(LRV - 5.94)



Pewter, 171  
(LRV - 15.29)



Sapphire, 501  
(LRV - 5.02)



Aegean, 831  
(LRV - 8.17)



Paprika, 459  
(LRV - 6.24)



Jet, 821  
(LRV - 2.68)

Style	Tufted 1/10" Gauge Loop Pile Tile
Yarn Construction	%100 Solution Dyed Nylon
Pile Yarn Weight	420 gsm
Pile Height	3.5 mm
Total Weight	4200 gsm
Total Thickness	6 mm
Backing	%100 Envirobase - minimum of %75 recycled material
Additional Backing	Komfort Bac available on request
Tile Size	50cm x 50cm
Tiles Per Box	20 ( 5m <sup>2</sup> )
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) > 6 Shampoo (BS 1006:UK-TB:1990) 4-5 Dry Rubbing (BS EN ISO 105:B01) 4-5 Wet Rubbing (BS EN ISO 105:X12) 4-5
Flammability	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
BS EN 13501	Class Bfl-s1
Castor Chair Test	Suitable for intensive use with castor chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004

## TOTAL COLOURWAY OPTIONS - 6



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

# MACAW STRIPE



Quartz / Pewter, 101171  
(LRV - 12.56)



Aegean / Sapphire, 831501  
(LRV - 6.75)



Lime / Quartz, 318101  
(LRV - 9.33)



Jet / Quartz, 821101  
(LRV - 3.82)

<b>Style</b>	Tufted 1/10" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	580 gsm
<b>Pile Height</b>	3mm - 0.5mm
<b>Total Weight</b>	4360 gsm
<b>Total Thickness</b>	6mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 6 Shampoo (BS 1006:UK-TB:1990) < 4-5 Dry Rubbing (BS EN ISO 105:B01) < 4-5 Wet Rubbing (BS EN ISO 105:X12) < 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004
<b>Environmental Status</b>	BREEAM® A Rated

TOTAL COLOURWAY OPTIONS - 4



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.





# Cut PILE

- **Maestro** 33
- **Workspace Cut Pile** 35

# MAESTRO



Dublin Bay, 613  
(LRV - 9.18)



Indian Ivy, 601  
(LRV - 18.47)



Cocoa Blush, 830  
(LRV - 5.94)



Sycamore, 700  
(LRV - 6.22)



Dusty Pink, 800  
(LRV - 5.97)



Delhi Bazaar, 463  
(LRV - 6.85)



Sunflower Symphony, 827  
(LRV - 12.76)



Velvet Truffle, 823  
(LRV - 10.99)



Beige, 600  
(LRV - 17.94)



Earth Glaze, 224  
(LRV - 18.24)



Bracken Salts, 817  
(LRV - 19.35)



Gold 300  
(LRV - 22.17)



Nutshell, 386  
(LRV - 22.44)



Coral, 400  
(LRV - 15.53)



Auburn Fall, 822  
(LRV - 16.83)



Claret, 500  
(LRV - 4.16)



Volcanic Splash, 314  
(LRV - 7.96)



Hot Paprika, 307  
(LRV - 8.79)



Red 501  
(LRV - 5.50)



Charcoal, 903  
(LRV - 3.05)

TOTAL COLOURWAY OPTIONS - 36



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK

Tile colours representative in print, order a full tile for true likeness.



Twilight Cinders, 991  
(LRV - 2.18)



Steel, 902  
(LRV - 5.88)



Silver, 900  
(LRV - 12.15)



Night Jewel, 994  
(LRV - 12.55)



Woodland Fern, 662  
(LRV - 16.47)



Deep Blue, 103  
(LRV - 2.72)



Brooklyn Nights, 963  
(LRV - 5.06)



Royal Regatta, 533  
(LRV - 3.36)



Sapphire, 101  
(LRV - 6.43)



Azure Fusion, 595  
(LRV - 6.81)



Celestial Blue, 569  
(LRV - 10.34)



Teal, 100  
(LRV - 9.23)



Blue Diamond, 506  
(LRV - 12.87)



Emerald Orchestra, 511  
(LRV - 9.26)



Turquoise, 200  
(LRV - 7.76)



Dark Green, 201  
(LRV - 3.95)

Style	Tufted 1/10" Gauge Loop Pile Tile
Yarn Construction	%100 Solution Dyed Nylon
Pile Yarn Weight	1050 gsm
Pile Height	5 mm
Total Weight	4650 gsm
Total Thickness	8mm
Backing	%100 Envirobase - minimum of %75 recycled material
Additional Backing	Komfort Bac available on request
Tile Size	50cm x 50cm
Tiles Per Box	20 ( 5m <sup>2</sup> )
Wear Classification	Heavy Contract Class 33
Luxury Class	LC1
Anti-static	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02) > 5 Wet Rubbing (BS EN ISO 105:X12) > 4
Flammability	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
BS EN 13501	Class Bfl-s1
Castor Chair Test	Suitable for intensive use with castor chairs
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004

# WORKSPACE CUT PILE



Iron Grey, 8025C  
(LRV - 5.26)



Coastal Blue, 6159C  
(LRV - 3.59)



Sky Blue, 6123C  
(LRV - 7.34)



Biscay Blue, 6051C  
(LRV - 3.35)



Nordic Green, 5011C  
(LRV - 8.15)



Gecko Green, 5009C  
(LRV - 9.72)



Grape Blue, 6155C  
(LRV - 6.91)



Lilac, 7035C  
(LRV - 6.59)



Salsa, 7040C  
(LRV - 3.28)



Cayenne, 3038C  
(LRV - 6.11)



Wheat, 1015C  
(LRV - 16.70)



Steel Grey, 8031C  
(LRV - 11.62)

## TOTAL COLOURWAY OPTIONS - 12



BROADLOOM DESIGN



TESSELLATED DESIGN

AVAILABLE  
FROM STOCK



Tile colours representative in print, order a full tile for true likeness.

<b>Style</b>	Tufted 1/10" Gauge Loop Pile Tile
<b>Yarn Construction</b>	%100 Solution Dyed Nylon
<b>Pile Yarn Weight</b>	850 gsm
<b>Pile Height</b>	5 mm
<b>Total Weight</b>	4650 gsm
<b>Total Thickness</b>	6mm
<b>Backing</b>	%100 Envirobase - minimum of %75 recycled material
<b>Additional Backing</b>	Komfort Bac available on request
<b>Tile Size</b>	50cm x 50cm
<b>Tiles Per Box</b>	20 ( 5m <sup>2</sup> )
<b>Wear Classification</b>	Heavy Contract Class 33
<b>Luxury Class</b>	LC1
<b>Anti-static</b>	Suitable for use with computers. Less than 2Kv
<b>Colour Fastness</b>	Light (BS EN ISO 105:B02) < 6 Wet Rubbing (BS EN ISO 105:X12) < 4-5
<b>Flammability</b>	BS5287 Assessment and labelling of Textile Floorcovering tested to BS4790 (Hot Metal Nut Test) - Low Radius of Char
<b>BS EN 13501</b>	Class Bfl-s1
<b>Castor Chair Test</b>	Suitable for intensive use with castor chairs
<b>Warranty</b>	10 years
<b>VOC Content</b>	E1 in relation to EN 14041:2004



# LUXURY COMMERCIAL VINYL

■ Rappórt	37
■ Duera	38

# RAPPÓRT



## WOOD EFFECT



Grey Limed Oak, 2798



Lakeside Pine, 2889



Burnt Sienna Wood, 2893



Shadow Ash, 2894



French Grey Elm, 2895



Bowland Oak, 2896



Midsummer Oak, 2897



Orchard Oak, 2898



Kentucky Timberwood, 2899



Dockyard Oak, 2947



Chalet Oak, 2948

## STONE EFFECT



Seasoned Concrete, 2969



Copper Metalstone, 2970



Dark Metalstone, 2979



Fresh Concrete, 2799



Ashen Concrete, 2796

Style	Luxury Commercial Vinyl
Material	Heterogenous PVC
Surface Treatment	PUR
Total Weight	4290 gsm
Total Thickness	2.5 mm
Wear Layer Thickness	0.55 mm
Wood Effect Plank Size	18.42cm x 121.92cm
Stone Effect Plank Size	45.72cm x 91.44cm
Wood Effect Planks Per Box	15 ( 3.37 m <sup>2</sup> )
Stone Effect Planks Per Box	8 ( 3.34 m <sup>2</sup> )
Anti-stati	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02 ≤ 6
Flammability	Class Bfl-s1
BS EN 13501	Suitable for use with castor chairs
Castor Chair Test	<0.1%
Dimensional Stability	0.05mm
Residual Indentation	Suitable, maximum °27C
Underfloor Heating	

# DUERA



## WOOD EFFECT



Twilight Ash, 3121



Barleycorn Oak, 3128



Devonshire Oak, 3129



Edwardian Oak, 3131



Dark Linear Wood, 3123



Wharf Side Ash, 3124



Hemingway Oak, 3126

## STONE EFFECT



Polished Cement, 3132



Alloyed Cement,



Suburban Cement, 3134



Cliffside Slate, 3136



Downtown Cement, 3135

Style	Luxury Commercial Vinyl
Material	Heterogenous PVC
Surface Treatment	PUR
Total Weight	8000 gsm
Total Thickness	5 mm
Wear Layer Thickness	0.7 mm
Wood Effect Plank Size	17.78cm x 121.92 cm
Stone Effect Plank Size	30.48cm x 60.96 cm
Stone Effect Tile Size	60cm x 60cm
Wood Effect Planks Per Box	10 ( 2.17m <sup>2</sup> )
Stone Effect Planks Per Box	8 ( 1.86 m <sup>2</sup> )
Anti-stati	Suitable for use with computers. Less than 2Kv
Colour Fastness	Light (BS EN ISO 105:B02 ≤ 6
Flammability	Class Bfl-s1
BS EN 13501	Suitable for use with castor chairs
Castor Chair Test	<0.1%
Dimensional Stability	0.05mm
Residual Indentation	Suitable, maximum °27C
Underfloor Heating	



# ENTRANCE MATTING

■ PRIMARY	
■ Frameworks	40
■ Treadloc 25	42
■ Entrack 50	44
■ SECONDARY	
■ Workspace Entrance	46
■ Workspace Entrance Design	47




# PRIMARY FRAMEWORKS



Frameworks is a unique range of tough and durable aluminium entrance systems

How to choose your frameworks system:

**Stage 1:**  
Select your height



**Stage 2:**  
Pick your construction




Open - collect dirt and moisture inside the mat/matwell rather than on the surface. Rollable for cleaning.  
Closed - Dirt and moisture collected on the surface of the mat.


**Stage 3:**  
Pick your insert from 13 options




Rib




Workspace Entrance



Ext Mat



Premier



Frameworks 12




Frameworks 15C



Frameworks 170P




Frameworks 17C



Frameworks 220P



Frameworks 22C



Frameworks 17CS




Frameworks 17HD

- C = Closed
- OP = Open
- CS = Closed Scraper
- HD = Heavy Duty
- DR = Drainable



Available colourways: ■



MW Rib  
Light Grey



MW Rib  
Anthracite



MW Rib  
Brown



MW Rib  
Natural



MW Rib  
Red



Workspace  
Entrance Vulcan



Workspace  
Entrance Victor



Workspace  
Entrance Viscount



Workspace  
Entrance Vixen



Premier  
Dark Blue



Premier  
Charcoal



Premier  
Mercury



EXT Mat  
Anthracite

MW Maxim New Range ■



Anthracite



Light Grey



Deep Blue



Natural

Accessories: ■



T-Bar



10mm25-mm Framing



MW Ramp System

# PRIMARY TREADLOC 25

Treadloc 25 by Mat.Works is a revolutionary modular matting solution. Manufactured from nitrile rubber, the 25cm x 25cm tile may be small but packs an almighty punch when it comes to performance.

Specifically designed to withstand heavy footfall, Treadloc 25 will not expand, contract, fade or become brittle, nor will it bend or buckle under pressure making it an ideal heavy contract solution for entrance areas in every sector. Unlike aluminium solutions, Treadloc 25 can withstand slight undulations in the sub-floor, which are sometimes unavoidable, without compromising the strength and performance of the product.

Treadloc 25 tiles are easily interchangeable and designed with interlocking male and female components for ease of installation. The versatile tiles can be quarter turned during installation to create a checkerboard effect allowing for multi-directional entrances. There is also the added benefit of being able to purchase individual Treadloc 25 tiles, meaning any damaged tiles can be replaced with ease.



Treadloc 25 provides a flammability rating of Cfl-s2 (BS EN 14041:2004)



## Perfect for Healthcare

The nitrile rubber in Treadloc 25 is now manufactured with copper compounds, a material that has been proven to have anti-microbial properties, combating the spread of hospital-acquired infections, including MRSA.

The product has been tested to ISO 22196, which specifies a method of evaluating the antibacterial activity of antibacterial-treated plastics, and other non-porous surfaces of products.

The results showed that the copper in the Treadloc 25 killed %99.29 of MRSA Bacterium.



When examined under the Coefficient of Friction test (TRRL Pendulum test in accordance with BS -7976

+2:200A1:2013), Treadloc 25 has been proven to provide a low risk for slips in both dry and wet conditions.

PRIMARY

# TREADLOC 25



## INSERT OPTIONS



Workspace Entrance Victor



Workspace Entrance Vixen



Workspace Entrance Vulcan




Workspace Entrance Viscount



Premier Mercury



Premier Charcoal



Premier Dark Blue



MW Maxim Yellow and  
MW Maxim Anthracite

## MW Rib HD inserts now available



Anthracite



Light Grey



Deep Blue

Dimensions	25cm x 25cm
Locking Guides	Easy Inter-locking system as standard. Removable male and female connectors.
Composition	Nitrile rubber composition
Dry Rubbing	(BS1006:X12 ) 4-5
Wet Shampoo	(851006:UK-TB) 4-5
Performance	Nitrile Rubber is resistant to oil, grease & fuel.
Resistant to stable temperatures	180-40 C
Wear Classification	Heavy Contract Class 33
Product Weight	Diamond 12,300gsm
Flammability	Premier 13,500gsm
	BS EN 13501 - Cfl-s1
Twice the weight of leading competitor products - twice the durability	

# ENTRACK 50



## INSERT OPTIONS



Workspace Entrance Vulcan



Workspace Entrance Victor



Workspace Entrance Vixen



Premier Dark Blue



Premier Mercury



MW Rib Anthracite



MW Rib Light Grey



EXT Mat Anthracite



Workspace Entrance Viscount



Premier Charcoal

Dimensions	500 cm x 500 cm
Insert Width	85 mm
Connection	Integral 'lock down' fixing system
Colourway Options	10
Environmental Options	Recyclable and reusable
Base	Non-pvc polymer base



With its click fit connections, Entrack 50 can be installed with ease.




MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.



Connect Entrack 50 together to create any size entrance mat required:



■ A flexible modular system made from TPE which won't expand, contract or fade in colour. An extremely versatile product, Entrack 50 carpet strips are interchangeable and are suitable for entrances with or without matwells.

- High specification low profile platform
- Easy to cut and shape to bespoke patterns
- Recyclable and reusable
- Won't tap, bounce or buckle under heavy footfall
- Easily cut and trimmed on site
- Made in Britain
- Suitable for external or internal areas

# WORKSPACE ENTRANCE



Vixen  
(LRV - 3.24)



Victor  
(LRV - 4.87)



Viscount  
(LRV - 2.69)



Vulcan  
(LRV - 3.48)

Style	1/10 th Gauge
Yarn Construction	%100 Solution Dyed Nylon
Pile Yarn Weight	1.000 gsm
Pile Height	5 mm +/- 0.5mm
Total Weight	Tile 4,800 gsm / Sheet 1,800 gsm
Pile Density	114,260 tufts per square metre
Total Thickness	Tile 9mm / Sheet 8mm
Backing	Bitumen Compound / Eco-Bac / Unitary Bac
Dimensions	50cm x 50cm tile / 2m x 20m
Wear Classification	Heavy Contract Class 33
Colour Fastness	To Water - 5 To Light - 5 To Rubbing - 4.5
Flammability	BS 4790 - Low Radius of Char BS EN 13501 - Cfl-s1
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004

## TOTAL COLOURWAY OPTIONS - 4

- All products conform to BS8300
- Low LRV values compared to aluminium, LVL and
- fibrebonded products ensuring a positive point difference is easy to achieve for areas where partially sighted traffic will be important to consider
- Equalities Act 2010 compliant
- Entrance matting resistant to point loading and scuffing from rubber wheels and walking aids

AVAILABLE  
FROM STOCK



MADE IN BRITAIN

Tile colours representative in print, order a full tile for true likeness.

# WORKSPACE ENTRANCE DESIGN



## 3 DESIGNS - 4 COLOURWAYS

Style	1/10 th Gauge
Yarn Construction	%100 Solution Dyed Nylon
Pile Yarn Weight	1.000 gsm
Pile Height	5 mm +/- 0.5mm
Pile Density	114,260 tufts per square metre
Total Weight	Tile 4,800 gsm / Sheet 1,800 gsm
Total Thickness	Tile 9mm / Sheet 8mm
Backing	Bitumen Compound / Eco-Bac / Unitary Bac
Dimensions	50cm x 50cm tile / 2m x 20m
Wear Classification	Heavy Contract Class 33
Colour Fastness	To Light (ISO 105 - B 02)5 To Water (ISO 105 - E01) 5 To Rubbing (ISO 105 - X 12)4.5
Flammability	BS 4790 - Low Radius of Char BS EN 13501 - Cfl-s1
Warranty	10 years
VOC Content	E1 in relation to EN 14041:2004

## DESCRIPTION

- Tough heavy contract, secondary entrance matting
- All products conform to BS8300
- Low LRV Values compared to aluminium, LVL and fibrebonded products ensuring a positive point difference is easy to achieve for areas where partially sighted traffic will be important to consider.
- Equalities Act 2010 compliant
- Entrance matting resistant to point loading and scuffing from rubber wheels and walking aids

## FLAME PROPERTIES

- Cfl-s1 for tiles

## COLOURS

3 Designs - 4 Colourways  
12 options

Tile colours representative in print, order a full tile for true likeness.



# SECONDARY WORKSPACE ENTRANCE DESIGN

DESIGN 1



Victor

DESIGN 2



Victor

DESIGN 3



Victor



Viscount



Viscount



Viscount



Vixen



Vixen



Vixen




Vulcan



Vulcan



Vulcan

A black and white photograph of a textile mill. The image shows rows of spinning machines on both sides, with large spools of yarn. The perspective is from a central aisle looking down the length of the factory. A semi-transparent black rectangle is overlaid in the center, containing white text.

UP TO %80  
OF OUR PRODUCTS  
ARE MADE USING  
RECYCLED MATERIAL



CARPET TILES  
OPERATES A ZERO  
LANDFILL POLICY



## Contact

ارتباط با ما **US**

No24,7th Abkooh,  
Poordad Ave, Aghaee  
Ave, Niavaran St,  
Tehran, Iran

☎ 021 22 87 10 57-8

📱 0912 19 55 802

📞 0920 39 55 802

✉ exiss.co@gmail.com

🌐 www.exissco.com

📷 exiss\_company

📄 exiss.online